

TECHNICAL SPECIFICATIONS

Quality	: DELUX (DX)
Yarn Fiber	: 100% Nylon IMPREL OPAL (2-ply heatset)
Gauge and Structure	: 5 / 32 " Plain Saxony Machine Tufted
Width	: 4.00M
Pile Weight	: $\pm 60 \text{ oz./yd}^2$ (2,000 g/m ²)
Total Weight	: $\pm 2,700 \text{ g/m}^2$
Pile Height	: $\pm 8.0 \text{ mm}$
Total Height	: $\pm 12.0 \text{ mm}$
Tuft Density/M ²	: $\pm 121 \text{ 000}$
Backing	: Twinback
Fire Class	: Cfl-s1 (EN 13501-1) / EN 14041 : 2008-05
Thermal Resistance	: EN 14041 : 2008-05 $\pm 0.13\text{m}^2 \text{ k/W}$
Sound Insulation	: EN 14041 : 2008-05 $\pm 30 \text{ dB}$
Light Fastness	: EN 14041 : 2008-05 $\geq 5 - 6$
Water Fastness	: EN 14041 : 2008-05 $\geq 4 - 5$
Electrical Behaviour	: EN 14041 : 2008-05 Antistatic (NPD)
Formaldehyd Emission	: EN 14041 : 2008-05 (NA / HCHO)
Pentachlorophenol	: EN 14041 : 2008-05 (DL / PCP)
Certificate	: GUT (DA02BB62) / CE (DOP : 1011#IE00CV)
Origin	: Made in Belgium



DECLARATION OF PERFORMANCE

DOP: 1011#IE00CV

1. Unique identification code of the product-type:

1011#IE00CV

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

WFB - Textile floor covering - plie carpet acc. EN 1307:2014

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

For use as floor covering in buildings (see EN 14041) according to the manufacturer's specifications.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Industries NV/Division - Kanegemstraat 15 - B - 8700 Tielt

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: Name of the notified test laboratory, that has issued the certificate of conformity of the factory production control, inspection reports and calculation reports (if relevant).

CRET; Centre de recherches et d'études techniques du tapis Rue du vert bois, Zone industrielle, P.O. Box 30 F - 69531 Neuville-en-Ferrain Cedex

Notified Body





2014/012

certificate of constancy of performance

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

not applicable


9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire		EN 14041:2008-05
Content of Pentachlorophenol		EN 14041:2008-05
Formaldehyd Emissions		EN 14041:2008-05
Slip resistance		EN 14041:2008-05
Electrical behavior (dissipative)	NPD	EN 14041:2008-05
Electrical behavior (conductive)	NPD	EN 14041:2008-05
Electrical behavior (antistatic)	NPD	EN 14041:2008-05
Thermal conductivity [W/mK]	NPD	EN 14041:2008-05
Water-tightness	NPD	EN 14041:2008-05

10. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer Signed for and on behalf of the manufacturer by:

Luc Jongbloed, Business unit manager
(name and function)

02.04.2020, Tielt
(place and date of issue)


(signature)